

### ABSTRACT OF THE DISCLOSURE

A cement repair composition is provided for repairing thin concrete. The composition comprises, in weight percentages: fine aggregates, 50-80%; Portland cement, 10-20%; reinforcing fibers such as polyethylene, steel and fiberglass fibers, 0-5%; and a plurality of further additives. The additives preferably include a lithium admixture, an air entraining admixture and a water reducing chemical additive, and a shrinkage compensating chemical additive, in a combined weight percentage of 0.01 to 5%.

0647/P08113US00/RFH